



Inspection Protocol – Nacra 15 Class Event

(full name) Ill name)	Click here			
ill name)	Click horo			
Crew (full name)		Click here to edit		
Sail Number		Click here to edit		
		Competitor Use	Official Use - Check	
Weight (mir	141 kg)		(k	
Corrector W	/eight		(k	
Flex (5 – 9 n	ım)		(mr	
Hull Numbe	r (HIN)	Click here to edit		
STB Dagger	Serial	Click here to edit		
PRT Dagger Serial		Click here to edit		
STB Rudder Serial		Click here to edit		
PRT Rudder	Serial	Click here to edit		
Is Mainsail Serial		Click here to edit		
Jib Serial		Click here to edit		
Spinnaker S	erial	Click here to edit		
		Mast	OK / NOK	
certification lab	els:	Boom	OK / NOK OK / NOK	
		Rear Beam	OK / NOK	
		Bowsprit	OK / NOK	
		Bridles Spreaders	OK / NOK OK / NOK	
	Corrector W Flex (5 – 9 m Hull Numbe STB Dagger PRT Dagger STB Rudder PRT Rudder Mainsail Ser Jib Serial Spinnaker Si Following parts	STB Rudder Serial PRT Rudder Serial Mainsail Serial	Weight (min 141 kg) Corrector Weight Flex (5 – 9 mm) Hull Number (HIN) Click here to edit STB Dagger Serial Click here to edit Otick here to edit Click here to edit DRT Rudder Serial Click here to edit DRT Rudder Serial Click here to edit Jib Serial Click here to edit Spinnaker Serial Click here to edit Boom Front Beam Rear Beam Boreprit	

Prepare your Equipment Inspection Form <u>before</u> the event.

The Form is editable



Inspection Protocol – Nacra 15 Class Event




Present your boat at the Inspection station:

- Fully equipped in race condition
- Mast Up, rig unloaded
- Hatches open / hulls dry
- Compensation weights detached (if any)
- Rudders on transom / trampoline
- Daggerboards in the straps
- Righting line, on/under trampoline
- Towing Line (6mm x 15m, not weighed)
- Tiller bar removed (not weighed)
- 1 Main sail, 1 Jib, 1 Gennacker
- 2 helmets (EN1385)
- 2 life vests (ISO 12402-50) each with
 - a knife (max 180mm, covered)
 - a whistle (Solas)
- 2 harnesses (max 2.4 kg when wet)



Sails Inspection Table





٠

٠

Personal Equipment Inspection Station

2 Trapeze harnesses (max 2.4 kg - wet)

a whistle (Solas)





Beam Flex Inspection Station

9 mm

5 mm

Go / NoGo





Precisely measured by wedge ruler



Inspection Protocol – Nacra 15 Class Event Stickers





Remove previous stickers

Event Stickers (supplied):

- 2 Hulls (both transoms)
- 1 Mast (port side)
- 2 Rudders
- 2 Daggerboards



